



产品编号：[310671070](#)

Product Description：2.54mm H-DAC 64, 3 Way Male Housing Assembly, Single Row, Polarization A, with Xmas Tree Attachment, Black

系列号：31067

状态：Active

Product Category：Connector Housings



文件和资源

图纸

[图纸 310671070_sd.pdf](#)

[包装设计图 PK-30907-737-001.pdf](#)

[包装设计图 PK-31301-076-001.pdf](#)

3D 模型和设计文件

[3D模型 310671070_stp.zip](#)

规格

[应用规格 AS-31067-100-001.pdf](#)

[产品规格 PS-31067-0001-001.pdf](#)

产物环境合规

合规

GADSL/IMDS	Compliant
China RoHS	
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

[多部分产品合规性声明](#)

- Eu RoHS
- REACH SVHC
- Low-Halogen

[多部分行业合规性文件](#)

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	活动
类别	Connector Housings
系列	31067
说明	2.54mm H-DAC 64, 3 Way Male Housing Assembly, Single Row, Polarization A, with Xmas Tree Attachment, Black
应用	Automotive, Power, Wire-to-Wire
个评论	Polarization Option A, Black
产品系列	H-DAC 64 Unsealed Connector System
产品名称	H-DAC 64
UPC	800756062662

电气

每触点最大电流	11.0A, 9.0A
---------	-------------

物理

电路数（最多）	3
颜色-树脂	黑色
性别	Plug
符合灼热丝规范	否
插接极性	无
锁定插接部位	是
材料 - 树脂	Modified Polystyrene, Polyester
净重	2.100/g
行数	1
包装形式	Bag

面板安装式	否
间距 - 插配接口	2.54mm
间距 - 终端界面	2.54mm
有极性的插配件	是
端口	1
可堆叠的	否
运行温度范围	-40° to +100° C

进程

无铅	不适用
----	-----

可配插/可连接使用的产品

可配插部件



描述	产品编号
2.54mm H-DAC 64, 3 Way Receptacle Assembly, Single Row, Polarization A	<u>0310671010</u>

可连接使用部件

描述	产品编号
可装的端子等部件	See Product Specification


3 WAY MALE HOUSING ASSEMBLY WITHOUT XMAS TREE (VIEWED FROM MATE SIDE)

(Ø16.76) ASSEMBLY PASS
THROUGH HOLE




(1.14)

OPTION "A"



OPTION "B"





OPTION "C"

VIEWED FROM MATE SIDE


5 WAY MALE HOUSING ASSEMBLY WITHOUT XMAS TREE (VIEWED FROM MATE SIDE)

(Ø20.25) PASS THROUGH
HOLE




(5.62)

OPTION "A"



OPTION "B"





OPTION "C"

VIEWED FROM MATE SIDE


4 WAY MALE HOUSING ASSEMBLY WITHOUT XMAS TREE (VIEWED FROM MATE SIDE)

(Ø18.25) ASSEMBLY PASS
THROUGH HOLE




(4.54)

OPTION "A"



OPTION "B"





OPTION "C"

VIEWED FROM MATE SIDE


6 WAY MALE HOUSING ASSEMBLY WITHOUT XMAS TREE (VIEWED FROM MATE SIDE)

(Ø22.75) PASS THROUGH
HOLE




(3.27)

OPTION "A"



OPTION "B"



OPTION "C"

VIEWED FROM MATE SIDE

NOTES:

1. MATERIAL: HOUSING: SPS GLASS FILLED, COLOR SEE CHART.
TPA: PBT.
2. PRODUCT SPECIFICATION: PS-31067-0001.
3. PACKAGING SPECIFICATION: DRAWING PK-31301-067.
4. MATES WITH: SEE SALES DRAWINGS SD-31109-003.

EC NO: UAU2009-1155
DRW: THERFUR2009/05/12
CHK: TANGELI2009/05/14
APPR: MKNACK 2009/05/14

REV DESCRIPTION

QUALITY
SYMBOLS

▽ 0

▽ 0

GENERAL TOLERANCES
(UNLESS SPECIFIED)

mm INCH

4 PLACES ± --- ± ---

3 PLACES ± --- ± ---

2 PLACES ± 0.13 ± ---

1 PLACE ± 0.25 ± ---

ANGULAR ± 1/2 °

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

SCALE 2:1 DESIGN UNITS
METRIC

DIMENSION STYLE
MM ONLY

DRAWN BY DATE

DEMO 01/04/04

CHECKED BY DATE

APPROVED BY DATE

MATERIAL NO.

SEE CHART

THIRD ANGLE
PROJECTION

REVISE ON CAD ONLY

MALE ASSEMBLY
CHARTED SALES DRAWING

MOLEX INCORPORATED

DOCUMENT NO.


SD-31110-003

SHEET NO.


1 OF 3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


3 WAY MALE HOUSING ASSEMBLY
WITH XMAS TREE
(VIEWED FROM MATE SIDE)




5 WAY MALE HOUSING ASSEMBLY
WITH XMAS TREE
(VIEWED FROM MATE SIDE)



4 WAY MALE HOUSING ASSEMBLY
WITH XMAS TREE
(VIEWED FROM MATE SIDE)



6 WAY MALE HOUSING ASSEMBLY
WITH XMAS TREE
(VIEWED FROM MATE SIDE)



EC NO: UAU2009-1155
DRWN: THERFUR2009/05/12
CHKD: TSMITH 2009/05/14
APPR: TANGELLO2009/05/14

QUALITY SYMBOLS
DESCRIPTION
REV

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.13	± ---
1 PLACE	± 0.25	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE
MUST REMAIN WITHIN DIMENSIONS

SCALE 2:1
DESIGN UNITS METRIC
DIMENSION STYLE MM ONLY
DRAWN BY DATE
CHECKED BY DATE
APPROVED BY DATE

THIRD ANGLE PROJECTION
REVISE ON CAD ONLY
TITLE
MALE ASSEMBLY
CHARTED SALES DRAWING
MOLEX MOLEX INCORPORATED
MATERIAL NO. DOCUMENT NO. SHEET NO.
ENTER-PART SD-31110-003 2 OF 3
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

