
THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


LOC	DIST
DW	-

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	B	REVISED (ECR-11-013643)	30JUN2011	T.K	H.K

2129260-1; AS SHOWN






VIEW A



WITH NUT

1. MATERIAL: HOUSING: THERMO-PLASTIC(UL94V-0,BLACK).
   CONTACT: COPPER ALLOY.
   SHELL: STAINLESS STEEL.
   BRACKET: STAINLESS STEEL.
   BUSH: STEEL.
2. FINISH:
   CONTACT: ALL OVER 2um MIN. Ni UNDER PLATING.
   0.38um MIN. Au PLATING ON CONTACT AREA.
   1~3um Tin PLATING ON TINE AREA.
   SHELL: ALL OVER 1.3um MIN. Ni UNDER PLATING.
   BUSH: ALL OVER 3um MIN. Ni UNDER PLATING.
3. LOW HALOGEN SPECIFICATION
   CHLORINE(CI) : 900 ppm MAX.
   BROMINE(Br) : 900 ppm MAX.
4. DATE CODE



Q'TY	NAME	ITEM
2	BUSH (M2)	⑤
2	BRACKET	④
1	SHELL	③
40	CONTACT	②
1	HOUSING	①

勝特力電材超市-龍山店 886-3-5773766
勝特力電材超市-光復店 886-3-5729570
胜特力电子(上海) 86-21-34970699
胜特力电子(深圳) 86-755-83298787
http://www.100y.com.tw

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-
±0.25
±3°

MATERIAL 1

FINISH 2

DWN	T.KUO	31MAR2011
CHK	V.PENG	31MAR2011
APVD	H.KODAMA	31MAR2011
PRODUCT SPEC	108-99033	
APPLICATION SPEC	-	
WEIGHT	1.39g	

TE Connectivity

NAME RECEPTACLE ASSY, 0.6mm PITCH CHAMP DOCKING CONNECTOR, 40POS -

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2129260	-

CUSTOMER DRAWING

SCALE 5:1 SHEET 1 OF 6 REV B


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
DW	-


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

2129260-2; AS SHOWN



WITHOUT NUT



Q'TY	NAME	ITEM
1	SHELL	③
40	CONTACT	②
1	HOUSING	①

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±
ANGLES ±-
±0.25
±3°

MATERIAL -
FINISH -

DWN -
CHK -
APVD -
PRODUCT SPEC -
APPLICATION SPEC -
WEIGHT 0.87g

CUSTOMER DRAWING

TE Connectivity

NAME
RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS
-

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2129260	-


SCALE 5:1 SHEET 2 OF 6 REV B

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
DW	–


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			



VIEW A

2129260-2 IS SAME AS 2129260-1



MATING CONDITION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±
ANGLES ±-
±0.25
±3°

MATERIAL –
FINISH –

DWN	–
CHK	–
APVD	–
PRODUCT SPEC	–
APPLICATION SPEC	–
WEIGHT	–

TE Connectivity

NAME
RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS
–

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2129260	–

CUSTOMER DRAWING | SCALE 5:1 | SHEET 3 OF 6 | REV B


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
DW	-

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

2129260-2 IS SAME AS 2129260-1



RECOMMENDED P.C.BOARD LAYOUT
(TOP VIEW)

5 CONNECTOR OUTLINE
6 SUPPORT BOARD EDGE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-
±0.05
±3°

MATERIAL -
FINISH -

DWN -
CHK -
APVD -
PRODUCT SPEC -
APPLICATION SPEC -
WEIGHT -

TE Connectivity

NAME
RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS
-

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2129260	-


CUSTOMER DRAWING | SCALE 8:1 | SHEET 4 OF 6 | REV B


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


LOC	DIST
DW	-


REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			











7. PACKING MATERIAL:
   CARRY TAPE: PS; COLOR:BLACK.
   COVER TAPE: PET; COLOR: CLEAR.
8. PEELING STRENGTH OF COVER TAPE: 0.2N~1.2N

2129260-1	600	3	1800
P/N	PCS/ TAPE	REELS/ CARTON	TOTAL QUANTITY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±- ±0.5
3 PLC ±- ±3°
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH -

DWN	-
CHK	-
APVD	-
PRODUCT SPEC	-
APPLICATION SPEC	-
WEIGHT	-

TE Connectivity

NAME
RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS
-

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2129260	-


CUSTOMER DRAWING | SCALE 5:1 | SHEET 5 OF 6 | REV B


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


LOC	DIST
DW	-


REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			











勝特力電材超市-龍山店 886-3-5773766
勝特力電材超市-光復店 886-3-5729570
胜特力电子(上海) 86-21-34970699
胜特力电子(深圳) 86-755-83298787
http://www.100y.com.tw

2129260-2	600	2	1200
P/N	PCS/ TAPE	REELS/ CARTON	TOTAL QUANTITY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±- ±0.5
3 PLC ±- ±3°
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH -

DWN	-
CHK	-
APVD	-
PRODUCT SPEC	-
APPLICATION SPEC	-
WEIGHT	-

TE Connectivity

NAME
RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS
-

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2129260	-

CUSTOMER DRAWING | SCALE 5:1 | SHEET 6 OF 6 | REV B