


© 2021 TE Connectivity. All Rights Reserved.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	12APR2021	J.S	I.Y
	A1	ECN-21-117700	15SEP2021	J.S	Z.Z




DETAIL Z
SCALE 5:1











1. MATERIAL : PA6-GF30 V-0 OR EQUIVALENCE RESIN.
2. PRODUCT DATE
3. LETTER-INSERTFOR THE REVISION STATUS OF THE MOULD
4. MATERIAL MARKING ACCORDING TO VDA260
5. BULK PACKAGING IN CORRUGATED BOX
6. MOULD CAVITY MARKING
7. TE LOGO
8. WARGAGE PERMITTED UP TO -1.5MM FROM NOMINAL SIZE
9. SUITALBE FOR TAB HOUISNG WITH FLANGE GROUP E, SEE PRODUCT GROUP DRAWING 1563709.
10. MARKING FOR SUITABLE SHEET METEAL THICKNESS(NOMINAL SIZE)



2388280-1 AS SHOWN



勝特力電材超市-龍山店 886-3-5773766
勝特力電材超市-光復店 886-3-5729570
胜特力电子(上海) 86-21-34970699
胜特力电子(深圳) 86-755-83298787
http://www.100y.com.tw

PART NO	REV.	DESCRIPTION	COLOUR	DIM X	DIM Y	DIM Z	WEIGHT [g]
2388280-7	A	SLIDER 3.5MM	GREY	8.4	12.4	8.0	8.1
2388280-6	A	SLIDER 3MM	YELLOW	8.9	12.6	8.5	8.4
2388280-5	A	SLIDER 2.5MM	RED	9.4	13.4	9.0	8.6
2388280-4	A	SLIDER 2MM	VIOLET	9.9	13.9	9.5	8.9
2388280-3	A	SLIDER 1.6MM	GREEN	10.3	14.3	9.9	9.1
2388280-2	A	SLIDER 1.5MM	GREY	10.4	14.4	10.0	9.2
2388280-1	A	SLIDER 1.2MM	ORANGE	10.7	14.7	10.3	9.3

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±

MATERIAL: PA6-GF30 V-0 -
FINISH: - -

DWN J.SHANG 25MAR2021
CHK C.W AN 25MAR2021
APVD I.YIN 25MAR2021
PRODUCT SPEC 108-94020
APPLICATION SPEC 114-18756
WEIGHT SEE TABLE

TE Connectivity

NAME SLIDER GROUP E,TAB HOUSING

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-2388280	

RESTRICTED CUSTOMER

SCALE 1:1 SHEET 1 OF 1 REV A1

2388280-6 ✔ ACTIVE

AMP | Heavy Duty Sealed Connector Series

TE Internal #: 2388280-6

Other Automotive Connector Accessories, Slide, PA6 GF, Yellow, -40 – 140 °C [-40 – 284 °F]

View on TE.com >

Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories > Heavy Duty Sealed Connector Series Fixing Slides







Automotive Connector Accessory Type: **Slide**

Primary Product Material: **PA6 GF**

Primary Product Color: **Yellow**

Operating Temperature Range: **-40 – 140 °C [-40 – 284 °F]**

All Heavy Duty Sealed Connector Series Fixing Slides (33)

Features

Product Type Features

Automotive Connector Accessory Type	Slide

Body Features

Primary Product Material	PA6 GF
Primary Product Color	Yellow

Usage Conditions

Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

Industry Standards

UL Flammability Rating	UL 94V-0

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-H3399-CH8172
Heavy Duty Sealed Connector Series Housings

Also in the Series | Heavy Duty Sealed Connector Series



Automotive Connector Caps & Covers (25)




Automotive Housings(207)




Automotive Seals & Cavity Plugs(5)




Data Connectivity Headers(2)



Data Connectivity Housings(18)



Other Automotive Connector Accessories(34)




PCB Headers & Receptacles(1)


Customers Also Bought



TE Part #2112045-1
SLIDE,FOR 26POS TAB HSG



TE Part #2112046-1
COVER,90,FOR 26POS



TE Part #284716-4
6 P. REC CONN X UEGO CONN



TE Part #2388278-5
SLIDE,TAB HSG ASSY,GROUP D



TE Part #2209544-9
60P,PLUG ASSY,NORMAL CODING



TE Part #2137754-1
Cover for 94P ECU connector



TE Part #2137752-1
Lever for 154P ECU connector



TE Part #1-2208720-1
105POS,MCON 1.2 CB,REC HSG, ASSY,SLD

TE Part #9-1452995-9
76POS,MCON 1.2 CB,REC HSG,ASSY, SLD

TE Part #1813344-1
7p 1.5mm socket housing assy' coding A

Documents

Product Drawings

SLIDE,TAB HSG ASSY,GROUP E

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2388280-6_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2388280-6_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2388280-6_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English

勝特力電材超市-龍山店 886-3-5773766
勝特力電材超市-光復店 886-3-5729570
胜特力电子(上海) 86-21-34970699
胜特力电子(深圳) 86-755-83298787
http://www.100y.com.tw