
Europa Terminal Strips
Divisible, Type 4


appliance TERMINALS

IEC	400 V	17.5 A	0.75 - 1.5 mm²
			0.75 - 1.0 mm² (DS)
UL	250 V	20 A	20 -14 AWG
	600 V (With spacer)	Factory Wiring 15 A	22 -16 AWG (DS)
		10 A (DS)	
CSA	300 V	10 A	22 -16 AWG
	600 V (With spacer)		

Wire Strip Length	4.5 mm
Screw Size	M2.5







**GW parts (...57.0) use a material with higher flame resistance than the non GW parts (...53.0) to comply with DIN60335-1.

Approvals:

勝 特 力 材 料 886-3-5753170
胜特力电子(上海) 86-21-34970699
胜特力电子(深圳) 86-755-83298787
Http://www.100y.com.tw

Type 4 E
without wire protection

Box Qty	G	T	Pole	without wire protection Part Number	without wire protection GW (glow wire) Part Number	Part Number	Part Number
5000	6	–	1	21.304.0153.0	21.304.0157.0		
2000	14	8	2	21.304.0253.0	21.304.0257.0		
2000	22	16	3	21.304.0353.0	21.304.0357.0		
2000	30	24	4	21.304.0453.0	21.304.0457.0		
1000	38	32	5	21.304.0553.0	21.304.0557.0		
1000	46	40	6	21.304.0653.0	21.304.0657.0		
500	54	48	7	21.304.0753.0	21.304.0757.0		
500	62	56	8	21.304.0853.0	21.304.0857.0		
500	70	64	9	21.304.0953.0	21.304.0957.0		
500	78	72	10	21.304.1053.0	21.304.1057.0		
500	86	80	11	21.304.1153.0	21.304.1157.0		
500	94	88	12	21.304.1253.0	21.304.1257.0		
		Spacer	1000mm	07.469.1380.0	07.469.1380.0		

Type 4 E DS
with wire protection

Box Qty	G	T	Pole	with wire protection Part Number	with wire protection GW (glow wire) Part Number	Part Number	Part Number
5000	6	–	1	21.305.0153.0	21.305.0157.0		
2000	14	8	2	21.305.0253.0	21.305.0257.0		
2000	22	16	3	21.305.0353.0	21.305.0357.0		
2000	30	24	4	21.305.0453.0	21.305.0457.0		
1000	38	32	5	21.305.0553.0	21.305.0557.0		
1000	46	40	6	21.305.0653.0	21.305.0657.0		
500	54	48	7	21.305.0753.0	21.305.0757.0		
500	62	56	8	21.305.0853.0	21.305.0857.0		
500	70	64	9	21.305.0953.0	21.305.0957.0		
500	78	72	10	21.305.1053.0	21.305.1057.0		
500	86	80	11	21.305.1153.0	21.305.1157.0		
500	94	88	12	21.305.1253.0	21.305.1257.0		
		Spacer	1000mm	07.469.1380.0	07.469.1380.0		

*Other pole counts available for jumpers & spacers

Subject to change without notice

wieland
www.wieland-electric.com

Europa Terminal Strips
Divisible, Type 6
appliance TERMINALS

勝 特 力 材 料 886-3-5753170
胜特力电子(上海) 86-21-34970699
胜特力电子(深圳) 86-755-83298787
Http://www.100y.com.tw

IEC	400 V 6EH - 690 V	24 A	1.0 - 4 mm² 1.0 - 2.5 mm² Stranded
UL	300 V 600 V (With spacer)	20 A 15 A (DS/EH)	22 -12 AWG 22 -14 AWG (DS/EH)
CSA	300 V 600 V (With spacer)	20 A	22 -14 AWG







Wire Strip Length	5.5 mm
Screw Size	M3

**GW parts (...57.0) use a material with higher flame resistance than the non GW parts (...53.0) to comply with DIN60335-1.

Approvals:

*6EH/DS with or without wire protection is not CSA approved





Type 6 E / H
without wire protection

Box Qty	G	T	Pole	without wire protection Part Number	without wire protection GW (glow wire) Part Number	without wire protection H (High Height) Part Number	Part Number
1500	7	–	1	21.310.0153.0	21.310.0157.0	21.312.0153.0	
1500	17	10	2	21.310.0253.0	21.310.0257.0	21.312.0253.0	
1500	27	20	3	21.310.0353.0	21.310.0357.0	21.312.0353.0	
1000	37	30	4	21.310.0453.0	21.310.0457.0	21.312.0453.0	
500	47	40	5	21.310.0553.0	21.310.0557.0	21.312.0553.0	
500	57	50	6	21.310.0653.0	21.310.0657.0	21.312.0653.0	
50	67	60	7	21.310.0753.0	21.310.0757.0	21.312.0753.0	
50	77	70	8	21.310.0853.0	21.310.0857.0	21.312.0853.0	
50	87	80	9	21.310.0953.0	21.310.0957.0	21.312.0953.0	
50	97	90	10	21.310.1053.0	21.310.1057.0	21.312.1053.0	
250	107	100	11	21.310.1153.0	21.310.1157.0	21.312.1153.0	
250	117	110	12	21.310.1253.0	21.310.1257.0	21.312.1253.0	
		Jumper	12	07.250.1027.0	07.250.1027.0	07.250.1027.0	
		Spacer	1000mm	07.470.1380.0	07.470.1380.0	07.470.1380.0	

Type 6 E / H DS
with wire protection

Box Qty	G	T	Pole	with wire protection Part Number	with wire protection GW (glow wire) Part Number	with wire protection H (High Height) Part Number	Part Number
1500	7	–	1	21.311.0153.0	21.311.0157.0	21.313.0153.0	
1500	17	10	2	21.311.0253.0	21.311.0257.0	21.313.0253.0	
1500	27	20	3	21.311.0353.0	21.311.0357.0	21.313.0353.0	
1000	37	30	4	21.311.0453.0	21.311.0457.0	21.313.0453.0	
500	47	40	5	21.311.0553.0	21.311.0557.0	21.313.0553.0	
500	57	50	6	21.311.0653.0	21.311.0657.0	21.313.0653.0	
50	67	60	7	21.311.0753.0	21.311.0757.0	21.313.0753.0	
50	77	70	8	21.311.0853.0	21.311.0857.0	21.313.0853.0	
50	87	80	9	21.311.0953.0	21.311.0957.0	21.313.0953.0	
50	97	90	10	21.311.1053.0	21.311.1057.0	21.313.1053.0	
250	107	100	11	21.311.1153.0	21.311.1157.0	21.313.1153.0	
250	117	110	12	21.311.1253.0	21.311.1257.0	21.313.1253.0	
		Jumper	12	07.250.1027.0	07.250.1027.0	07.250.1027.0	
		Spacer	1000mm	07.470.1380.0	07.470.1380.0	07.470.1380.0	


*Other pole counts available for jumpers & spacers
Subject to change without notice


wieland
www.wieland-electric.com

Europa Terminal Strips
Divisible, Type 10
appliance TERMINALS

IEC	500 V	32 A	1.5 - 6 mm² 1.5 - 4 mm² Stranded DS
UL	300 V 600 V (With spacer)	40 A factory wiring 30 A 20 A (DS)	22 -10 AWG 22 -12 AWG (DS)
CSA	300 V 600 V (With spacer)	25 A	22 -12 AWG

Wire Strip Length	6 mm
Screw Size	M3.5





**GW parts (...57.0) use a material with higher flame resistance than the non GW parts (...53.0) to comply with DIN60335-1.

Approvals:

勝 特 力 材 料 886-3-5753170
胜特力电子(上海) 86-21-34970699
胜特力电子(深圳) 86-755-83298787
Http://www.100y.com.tw

Type 10 E
without wire protection

Box Qty	G	T	Pole	without wire protection Part Number	without wire protection GW (glow wire) Part Number	Part Number	Part Number
2000	8	–	1	21.330.5153.0	21.330.5157.0		
1000	20	12	2	21.330.5253.0	21.330.5257.0		
500	32	24	3	21.330.5353.0	21.330.5357.0		
250	44	36	4	21.330.5453.0	21.330.5457.0		
250	56	48	5	21.330.5553.0	21.330.5557.0		
250	68	60	6	21.330.5653.0	21.330.5657.0		
250	80	72	7	21.330.5753.0	21.330.5757.0		
200	92	84	8	21.330.5853.0	21.330.5857.0		
200	104	96	9	21.330.5953.0	21.330.5957.0		
200	116	108	10	21.330.6053.0	21.330.6057.0		
250	117	110	12	21.330.6253.0	21.330.6257.0		
		Jumper	30	07.253.0027.0	07.253.0027.0		
		Spacer	1000mm	07.471.1380.0	07.471.1380.0		

Type 10 E DS
with wire protection

Box Qty	G	T	Pole	with wire protection Part Number	with wire protection GW (glow wire) Part Number	Part Number	Part Number
2000	8	–	1	21.331.5153.0	21.331.5157.0		
1000	20	12	2	21.331.5253.0	21.331.5257.0		
500	32	24	3	21.331.5353.0	21.331.5357.0		
250	44	36	4	21.331.5453.0	21.331.5457.0		
250	56	48	5	21.331.5553.0	21.331.5557.0		
250	68	60	6	21.331.5653.0	21.331.5657.0		
250	80	72	7	21.331.5753.0	21.331.5757.0		
200	92	84	8	21.331.5853.0	21.331.5857.0		
200	104	96	9	21.331.5953.0	21.331.5957.0		
200	116	108	10	21.331.6053.0	21.331.6057.0		
250	117	110	12	21.331.6253.0	21.331.6257.0		
		Jumper	30	07.253.0027.0	07.253.0027.0		
		Spacer	1000mm	07.471.1380.0	07.471.1380.0		

*Other pole counts available for jumpers & spacers


Subject to change without notice


wieland
www.wieland-electric.com

Europa Terminal Strips
Divisible, Type 16

appliance TERMINALS

IEC	500 V	41 A	2.5 - 10 mm² 2.5 - 6 mm² Stranded DS
UL	300 V 600 V (With spacer)	30 A Field W/16E DS 40 A Factory W/16 E DS 50 A Field wiring 16E 65 A Factory Wiring 16E	22 - 8 AWG 22 - 10 AWG (DS)
CSA	600 V	40 A	20 - 10 AWG
Wire Strip Length			7 mm
Screw Size			M4





**GW parts (...57.0) use a material with higher flame resistance than the non GW parts (...53.0) to comply with DIN60335-1.

Approvals:

Type 16 E
without wire protection

Box Qty	G	T	Pole	without wire protection Part Number	without wire protection GW (glow wire) Part Number	Part Number	Part Number
200	9.5	–	1	21.340.5153.0	21.340.5157.0		
100	23	13.5	2	21.340.5253.0	21.340.5257.0		
50	36.5	27	3	21.340.5353.0	21.340.5357.0		
50	50	40.5	4	21.340.5453.0	21.340.5457.0		
50	63.5	54	5	21.340.5553.0	21.340.5557.0		
50	77	67.5	6	21.340.5653.0	21.340.5657.0		
40	90.5	81	7	21.340.5753.0	21.340.5757.0		
40	104	94.5	8	21.340.5853.0	21.340.5857.0		
20	117.5	108	9	21.340.5953.0	21.340.5957.0		
20	131	121.5	10	21.340.6053.0	21.340.6057.0		
250	117	110	12	21.340.6253.0	21.340.6257.0		
		Jumper	30	07.256.8027.0	07.256.8027.0		
		Spacer	1000mm	07.472.1380.0	07.472.1380.0		

Type 16 E DS
with wire protection

Box Qty	G	T	Pole	with wire protection Part Number	with wire protection GW (glow wire) Part Number	Part Number	Part Number
200	9.5	–	1	21.341.5153.0	21.341.5157.0		
100	23	13.5	2	21.341.5253.0	21.341.5257.0		
50	36.5	27	3	21.341.5353.0	21.341.5357.0		
50	50	40.5	4	21.341.5453.0	21.341.5457.0		
50	63.5	54	5	21.341.5553.0	21.341.5557.0		
50	77	67.5	6	21.341.5653.0	21.341.5657.0		
40	90.5	81	7	21.341.5753.0	21.341.5757.0		
40	104	94.5	8	21.341.5853.0	21.341.5857.0		
20	117.5	108	9	21.341.5953.0	21.341.5957.0		
20	131	121.5	10	21.341.6053.0	21.341.6057.0		
250	117	110	12	21.341.6253.0	21.341.6257.0		
		Jumper	30	07.256.8027.0	07.256.8027.0		
		Spacer	1000mm	07.472.1380.0	07.472.1380.0		


*Other pole counts available for jumpers & spacers


Subject to change without notice

wieland
www.wieland-electric.com

Europa Terminal Strips
Divisible, Type 20
appliance TERMINALS

IEC	500 V	57 A	4.0 - 16 mm² 4.0 - 10 mm² Stranded DS
UL	300 V 600 V (With apacer)	70 A 75 A Factory Wiring/DS 65A (DS)	20 - 4 AWG 22 - 6 AWG (DS)
CSA	600 V	65 A	18 - 6 AWG
Wire Strip Length			8 mm
Screw Size			M5





**GW parts (...57.0) use a material with higher flame resistance than the non GW parts (...53.0) to comply with DIN60335-1.

Approvals:

Type 20 E
without wire protection

Box Qty	G	T	Pole	without wire protection Part Number	without wire protection GW (glow wire) Part Number	Part Number	Part Number
200	11.5	–	1	21.340.3153.0	21.340.3157.0		
100	26	14.5	2	21.340.3253.0	21.340.3257.0		
50	40.5	29	3	21.340.3353.0	21.340.3357.0		
50	55	43.5	4	21.340.3453.0	21.340.3457.0		
50	69.5	58	5	21.340.3553.0	21.340.3557.0		
50	84	72.5	6	21.340.3653.0	21.340.3657.0		
50	98.5	87	7	21.340.3753.0	21.340.3757.0		
50	113	101.5	8	21.340.3853.0	21.340.3857.0		
20	127.5	116	9	21.340.3953.0	21.340.3957.0		
20	142	130.5	10	21.340.4053.0	21.340.4057.0		
250	117	110	12	21.340.4253.0	21.340.4257.0		
		Spacer	1000mm	07.473.1380.0	07.473.1380.0		

Type 20 E DS
with wire protection

Box Qty	G	T	Pole	with wire protection Part Number	with wire protection GW (glow wire) Part Number	Part Number	Part Number
200	11.5	–	1	21.341.3153.0	21.341.3157.0		
100	26	14.5	2	21.341.3253.0	21.341.3257.0		
50	40.5	29	3	21.341.3353.0	21.341.3357.0		
50	55	43.5	4	21.341.3453.0	21.341.3457.0		
50	69.5	58	5	21.341.3553.0	21.341.3557.0		
50	84	72.5	6	21.341.3653.0	21.341.3657.0		
50	98.5	87	7	21.341.3753.0	21.341.3757.0		
50	113	101.5	8	21.341.3853.0	21.341.3857.0		
20	127.5	116	9	21.341.3953.0	21.341.3957.0		
20	142	130.5	10	21.341.4053.0	21.341.4057.0		
250	117	110	12	21.341.4253.0	21.341.4257.0		
		Spacer	1000mm	07.473.1380.0	07.473.1380.0		

*Other pole counts available for jumpers & spacers

Subject to change without notice

wieland
www.wieland-electric.com

Marking accessories for Divisible terminal strips

appliance TERMINALS

勝 特 力 材 料 886-3-5753170
胜特力电子(上海) 86-21-34970699
胜特力电子(深圳) 86-755-83298787
Http://www.100y.com.tw

Material:


White, roughened plastic, 0.8 mm thick
Permanent temperature up to 70 °C.

Special plates to mark the terminals of clamping, solder and pluggable terminal strips are available. They can be marked before or after mounting or wiring of the terminals by using special ink Pelikan No. 32 or felt-tip pen “Feinmarker 23” by Faber Castell, or ink pen “Foliograph” by Riepe Werk Hamburg. Or they can be sealed with waterproof stamp color Pelikan type 24.

We can also supply marked plates with normal marking for larger quantities.



MARKING STRIP BZ



**FOR STANDARD MARKING THE PART.NUMBERS CHANGE FROM 04.0.. TO 04.6..
EX: 04.033.0080.0 UNMARKED 04.633.0080.0 MARKED

Suitable for types	Poles	Type	Part No.	Std. Pack
4E	2	8130/ 2 BZ	04.033.0080.0	100
4E	12	8130/12 BZ	04.033.1080.0	100
4E	1 meter	8130/ MBZ	04.033.1180.0	1
6E	2	8006/ 2 BZ	04.030.0080.0	100
6E	12	8006/12 BZ	04.030.1080.0	100
6E	1 meter	8006/ MBZ	04.030.1180.0	1
10 E	2	10 E/ 2 BZ	04.070.0280.0	100
10 E	12	10E/12BZ	04.070.1280.0	100
10 E	1 meter	10 E/MBZ	04.070.1380.0	1
16 E	2	16 E/ 2 BZ	04.090.0280.0	100
16 E	12	16 E/12 BZ	04.090.1280.0	100
16 E	1 meter	16 E/MBZ	04.090.1380.0	1
20E	2	8016 / 2 BZ	04.080.0080.0	100
20E	12	8016/12 BZ	04.080.1080.0	100
20E	1 meter	8016/ MBZ	04.080.1180.0	1

**Other pole counts available