



	10	9	8	7	6	5	4	3	2	1			
	MATERIAL NO. LOOSE PIECE	ENG. NO.	MATERIAL NO. TAPE MOUNTED	ENG. NO.	STUD SIZE C2 ±.005/0.13	"S" MAX.	"C" MIN.	"L" MAX.	"ID" MIN.	STOCK THICKNESS	"H" ±.020/0.51		
F	190690027	AA-120-02	190690028	AA-120-02T	2	.094/(2.39)	.235/(6.00)	.157/(3.99)	.484/(12.29)	.062/(1.57)	.028/(0.71)	1.155/(29.34)	
	190690029	AA-120-04	190690030	AA-120-04T	4	.119/(3.02)							
	190690031	AA-120-06	190690032	AA-120-06T	6	.146/(3.71)							
	190690033	AA-121-06	190690034	AA-121-06T	6	.146/(3.71)	.322/(8.18)	.270/(6.86)	.641/(16.28)	.062/(1.57)	.028/(0.71)		
	190690035	AA-121-08	190690036	AA-121-08T	8	.173/(4.39)							
190690037	AA-121-10	190690038	AA-121-10T	10	.198/(5.03)								
E	190690039	AA-121-209	190690475	AA-121-209T	209	.209/(5.18)	.477/(12.11)	.386/(9.80)	.835/(21.21)	.062/(1.57)	.028/(0.71)		1.342/(34.09)
	190690040	AA-122-10	190690041	AA-122-10T	10	.198/(5.03)							
	190690042	AA-122-14	190690044	AA-122-14T	14	.265/(6.71)							
	190690045	AA-122-56	190690046	AA-122-56T	56	.328/(8.33)	.544/(13.82)	.552/(14.02)	1.034/(26.26)	.055/(1.40)	.031/(0.79)		
	190690047	AA-126-10	-----	-----	10	.198/(5.03)							
190690048	AA-126-14	190690128	AA-126-14T	14	.265/(6.71)								
D	190690051	AA-126-56	-----	-----	56	.328/(8.33)	.264/(6.70)	.240/(6.10)	.582/(14.78)	.062/(1.57)	.028/(0.71)	1.155/(29.34)	
	190690049	AA-126-38	190690050	AA-126-38T	38	.390/(9.91)							
	190690052	AA-132-04	190690053	AA-132-04T	4	.119/(3.02)							
	190690054	AA-132-06	190690055	AA-132-06T	6	.146/(3.71)	.283/(7.20)	.240/(6.10)	.591/(15.00)	.062/(1.57)	.028/(0.71)		
	190690056	AA-132-08	190690057	AA-132-08T	8	.173/(4.39)							
	190690061	AA-133-10	190690062	AA-133-10T	10	.198/(5.03)							
		190690024	AA-1111-02	190690191	AA-1111-02T	2	.094/(2.39)	.197/(5.00)	.173/(4.40)	.490/(12.40)	.055/(1.40)		.031/(0.79)
	190690025	AA-1111-04	190690026	AA-1111-04T	4	.119/(3.02)							



勝特力電材超市-龍山店 886-3-5773766
 勝特力電材超市-光復店 886-3-5729570
 勝特力電子(上海) 86-21-34970699
 勝特力電子(深圳) 86-755-83298787
<http://www.100y.com.tw>

SALES DRAWING

NOTE(S):
 1. MATERIAL: COPPER.
 2. PLATING: ELECTRO-TIN.
 3. ALL DIMENSIONS IN INCHES/(MM).


WIRE SIZE:
 22-18 AWG
 0.25-1.5 MM²

4. PARTS ARE ROHS COMPLIANT.

STDIZE STUD TOL EC NO: WNA2011-0225 DRAWN BY: DRWINETHRODAHL 2010/10/29 CHKD: JMACNEIL 2010/11/17 APPR: JMACNEIL 2010/11/17 C2	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION			
				IN/MM		---	INCH				
				mm	INCH	DRAWN BY		DATE		TITLE	
				4 PLACES	± --- ± ---	BDEROSS		2000/6/13		RING TONGUE TERMINAL	
				3 PLACES	± --- ± ---	CHECKED BY		DATE		KRIMPTITE, 100 SERIES	
				JHACKNEY		2000/6/13		22-18 AWG			
				APPROVED BY		DATE		MOLEX MOLEX INCORPORATED			
				JMACNEIL		2010/11/17					
				ANGULAR ± ---°		MATERIAL NO.		DOCUMENT NO.			
				DRAFT WHERE APPLICABLE		SEE CHART		SD-19069-004			
				MUST REMAIN		SIZE		SHEET NO.			
				WITHIN DIMENSIONS		B		1 OF 1			
								THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			



产品编号：[190690031](#)
Product Description：Krimptite Ring
Tongue Terminal for 18-22 AWG Wire
系列号：19069
状态：Active
Product Category：Ring and Spade
Terminals
工程编号：AA-120-06



文件和资源

图纸
[图纸 190690031_sd.pdf](#)

3D 模型和设计文件
[3D模型 190690031_stp.zip](#)

规格
[产品规格 PS-19902-011-001.pdf](#)
[产品规格 PS-19902-013-001.pdf](#)

产物环境合规

合规

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

[多部分产品合规性声明](#)
- Eu RoHS
- REACH SVHC
- Low-Halogen

[多部分行业合规性文件](#)

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	活动
类别	Ring and Spade Terminals
系列	19069
说明	Krimptite Ring Tongue Terminal for 18-22 AWG Wire
关键字	Ring Terminal, Ring Terminals
产品系列	Solderless Terminals
产品名称	Krimptite
类型	Ring
UPC	800755066234

机构

CSA	LR18689
UL	E32244

物理

筒型	已关闭
绝缘	无
材料 - 接合部位电镀	Tin
材料 - 终端电镀	Tin
净重	0. 340/g
包装形式	Bag
最薄镀层 - 接合部位	2. 540µm
最薄镀层 - 端接	2. 540µm
螺柱规格	5-6 (M3-3. 5)
终端界面类型	Crimp or Compression

线径规格 (AWG)	18, 20, 22
线缆尺寸mm ²	0.35-0.80

进程

无铅	不适用
----	-----

施工工具

全局

描述	产品编号
PremiumGrade Hand Crimp Tool for Krimptite/Versakrimp Terminals and Splices, 10-22 AWG and 6.0mm ² - 0.5mm ²	<u>0640030100</u>
Crimp Head for the AT-200 Pneumatic Hand Tool	<u>0640070100</u>
ServiceGrade Hand Crimp Tool - Ratchet	<u>0640160038</u>