



	10	9	8	7	6	5	4	3	2	19070	
	LOOSE PIECE		TAPE MOUNTED		STUD SIZE	"S"	"W"	"C"	"L"	"H"	<div>勝特力電材超市-龍山店 886-3-5773766</div> <div>勝特力電材超市-光復店 886-3-5729570</div> <div>勝特力电子(上海) 86-21-34970699</div> <div>勝特力电子(深圳) 86-755-83298787</div> <div>http://www.100y.com.tw</div>
	MATERIAL NO.	ENGINEERING P/N	MATERIAL NO.	ENGINEERING P/N		±.005/ 0.13	±.010/ 0.25	MIN	MAX	±.020/0.51	
F	190700143	C-236-06X	190700144	C-236-06XT	6	.146/ 3.70	.282/ 7.16	.306/ 7.77	1.04/ 26.3	.98/ 24.9	
	190700145	C-236-08X	190700146	C-236-08XT	8	.173/ 4.39	.282/ 7.16	.306/ 7.77	1.04/ 26.3	.98/ 24.9	
	190700117	C-228-04X	-	-	4	.119/ 3.02	.375/ 9.53	.303/ 7.70	1.08/ 27.4	-	
	190700119	C-228-06X	190700120	C-228-06XT	6	.146/ 3.70	.375/ 9.53	.303/ 7.70	1.08/ 27.4	.98/ 24.9	
	190700121	C-228-08X	190700122	C-228-08XT	8	.173/ 4.39	.375/ 9.53	.303/ 7.70	1.08/ 27.4	.98/ 24.9	
	190700123	C-228-10X	190700125	C-228-10XT	10	.198/ 5.02	.375/ 9.53	.303/ 7.70	1.08/ 27.4	.98/ 24.9	
	190700128	C-228-209X	-	-	5mm	.209/ 5.30	.375/ 9.53	.303/ 7.70	1.08/ 27.4	-	
E	190700130	C-230-10X	190700131	C-230-10XT	10	.198/ 5.02	.530/ 13.46	.393/ 9.98	1.25/ 31.6	.98/ 24.9	
	190700132	C-230-14X	190700133	C-230-14XT	1/4"	.265/ 6.73	.530/ 13.46	.393/ 9.98	1.25/ 31.6	.98/ 24.9	
	190700136	C-230-56X	190700137	C-230-56XT	5/16"	.328/ 8.33	.530/ 13.46	.393/ 9.98	1.25/ 31.6	.98/ 24.9	
	190700148	C-240-10X	190700149	C-240-10XT	10	.198/ 5.02	.592/ 15.04	.466/ 11.84	1.35/ 34.3	1.17/ 29.8	
	190700150	C-240-14X	190700151	C-240-14XT	1/4"	.265/ 6.73	.592/ 15.04	.466/ 11.84	1.35/ 34.3	1.17/ 29.8	
	190700155	C-240-56X	190700156	C-240-56XT	5/16"	.328/ 8.33	.592/ 15.04	.466/ 11.84	1.35/ 34.3	1.17/ 29.8	
	190700153	C-240-38X	190700154	C-240-38XT	3/8"	.390/ 9.90	.592/ 15.04	.466/ 11.84	1.35/ 34.3	1.17/ 29.8	
	190700111	C-201-14X	-	-	1/4"	.265/ 6.73	.750/ 19.05	.611/ 15.52	1.58/ 40.0	-	
D	190700115	C-201-76X	190700116	C-201-76XT	7/16"	.453/ 11.50	.750/ 19.05	.611/ 15.52	1.58/ 40.0	1.30/ 33.0	
	190700109	C-201-12X	190700110	C-201-12XT	1/2"	.515/ 13.08	.750/ 19.05	.611/ 15.52	1.58/ 40.0	1.30/ 33.0	



PARTS ON TAPE
(NOTE: C-240 AND C-201 PARTS ARE DOUBLE-SPACED)

NOTES:

- MATERIALS:
TERMINAL: TIN-PLATED COPPER
INSULATION: PVC INSULATION, YELLOW
- MWID = MAXIMUM WIRE INSULATION DIAMETER
- PARTS ARE ROHS COMPLIANT.

REDRAW	EC NO: WNA2011-0252	DRAWN BY: ETHRODAHL	DATE: 2011/01/24	CHKD: JMACNEIL	DATE: 2011/01/24	APPR: JMACNEIL	DATE: 2011/02/21	DESCRIPTION	QUALITY SYMBOLS	<div>▼=0</div> <div>▽=0</div>	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	<div><div></div><div></div></div> THIRD ANGLE PROJECTION	TITLE	RING TONGUE TERMINAL INSULKRIMP 12-10 AWG	MOLEX MOLEX INCORPORATED	DOCUMENT NO. SD-19070-007	SHEET NO. 1 OF 1			
												IN/MM		---	INCH									
													mm	INCH	DRAWN BY							DATE		
												4 PLACES	± ---	± ---	ETHRODAHL							2011/01/24		
												3 PLACES	± ---	± .005	CHECKED BY							DATE		
												2 PLACES	± 0.13	± .010	JMACNEIL							2011/01/24		
												1 PLACE	± 0.25	± .020	APPROVED BY							DATE		
												ANGULAR ±1/2°			JMACNEIL							2011/02/21		
												DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO.							SEE CHART		
												SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										



产品编号：[190700125](#)
Product Description：InsulKrimp Ring
Tongue Terminal for 10-12 AWG Wire, Stud
Size 10 (M5), Length 27.33mm, Mylar Tape
Carrier
系列号：19070
状态：Active
Product Category：Ring and Spade
Terminals
工程编号：C-228-10XT



文件和资源

图纸

[图纸 190700125_sd.pdf](#)

3D 模型和设计文件

[3D模型 190700125_stp.zip](#)

规格

[产品规格 PS-19902-009-001.pdf](#)

[产品规格 PS-19902-011-001.pdf](#)

产物环境合规

合规

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

[多部分产品合规性声明](#)

- Eu RoHS
- REACH SVHC

- Low-Halogen
- 多部分行业合规性文件
- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	活动
类别	Ring and Spade Terminals
系列	19070
说明	InsulKrimp Ring Tongue Terminal for 10-12 AWG Wire, Stud Size 10 (M5), Length 27.33mm, Mylar Tape Carrier
关键字	Ring Terminal, Ring Terminals
产品系列	Solderless Terminals
产品名称	InsulKrimp
类型	Ring
UPC	800753069725

机构

CSA	LR18689
UL	E32244

物理

筒型	已关闭
颜色-树脂	Natural
阻燃性	94V-0
绝缘	PVC
材料 - 接合部位电镀	Tin
净重	1.845/g
包装形式	Adhesive Tape on Reel

螺柱规格	10 (M5)
导线绝缘直径	6.40mm max.
线径规格 (AWG)	10, 12

进程

无铅	不适用
----	-----

施工工具

全局

描述	产品编号
ATP Crimp Dies for the Tape Crimp Module and ATP-101 & 301 Press	<u>0192880179</u>
Mini-Mac Pneumatic Applicator for Industrial Terminals 6-26 AWG	<u>0638851500</u>