



产品编号：791077001

系列号：79107

Product Category：PCB Headers and Receptacles

Product Description：2.00mm Pitch Milli-Grid Receptacle, Vertical, Through Hole, Dual Row, 3.00mm Tail Length, 0.38µm Gold (Au) Selective Plating, 4 Circuits, Lead-Free

状态：Active

文件和资源

图纸

图纸 791077001_sd.pdf

包装设计图 PK-70873-0180-001.pdf

3D 模型和设计文件

3D模型 791077001_stp.zip

规格

应用规格 503940001-AS-000.pdf

产品规格 PS-79107-001.pdf

产物环境合规

合规

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	活动
类别	PCB Headers and Receptacles
系列	79107
说明	2.00mm Pitch Milli-Grid Receptacle, Vertical, Through Hole, Dual Row, 3.00mm Tail Length, 0.38µm Gold (Au) Selective Plating, 4 Circuits, Lead-Free
应用	Board-to-Board, Signal
元件类型	PCB Receptacle
产品系列	Milli-Grid Connector System
产品名称	Milli-Grid
UPC	822348474462

机构

CSA	LR19980
UL	E29179

电气

每触点最大电流	1.0A
电压 - 最大	125V

物理

回路数（已载入）	4
电路数（最多）	4
颜色-树脂	黑色
耐用性(插拔次数) - 最多次数	50
阻燃性	94V-0
符合灼热丝规范	否

锁定插接部位	无
材料 - 金属	Phosphor Bronze
材料 - 接合部位电镀	金牌
材料 - 终端电镀	Tin
材料 - 树脂	High Temperature Thermoplastic
净重	0.115/g
行数	2
方向	垂直
包装形式	Tube
PC 焊脚长度	3.00mm
PCB 定位器	否
PCB 保持力	无
推荐的 PCB 厚度	1.60mm
间距 - 插配接口	2.00mm
间距 - 终端界面	2.00mm
最薄镀层 - 接合部位	0.381µm
最薄镀层 - 端接	1.905µm
有极性的插配件	否
PCB 极性	否
运行温度范围	-55° to +105° C
终端界面类型	Through Hole

进程


最长持续时间	10
无铅	WAVE
最大周期	1
最高温度	260

可配插/可连接使用的产品

可配插部件


描述	产品编号
Milli-Grid Vertical Through Hole Headers	<u>87758</u>
Milli-Grid Vertical Surface Mount Headers	<u>87759</u>

Milli-Grid Right-Angle Through Hole Headers	<u>87760</u>
Milli-Grid Vertical, Dual Row, Through Hole Headers	<u>87831</u>
Milli-Grid Vertical, Dual Row, Surface Mount Headers	<u>87832</u>
Milli-Grid Vertical, Dual Row, Through Hole Headers	<u>151117</u>
Milli-Grid Vertical, Dual Row, Surface Mount Headers	<u>151118</u>
Milli-Grid Right-Angle, Dual Row, Through Hole Headers	<u>151119</u>
Milli-Grid Right-Angle, Dual Row, Surface Mount Headers	<u>151120</u>



ASSEMBLY WITH CAP IN TAPE & REEL

CKT SIZE	ASSEMBLY PART NO	DIM A	DIM B	DIM C	DIM D	PLATING OPTION
36	79107-7417	36.19	34.00	3.00	15.65	5




QUALITY SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
	= 0	SHT3: ADD 79107-7417 EC NO: 173923 DRWN: GMENARLY CHK'D: ISHWARG APPR: ISHWARG	2017/11/27 2018/03/23 2018/03/23	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 0.5 °		DIMENSION UNITS		SCALE		<div>molex®</div> <div>2MM DUAL ROW VERTICAL RECEPTACLE T/H</div>					
	= 0					MM		NTS							
	= 0					DRWN BY		DATE							
	= 0					AAB		1989/05/15							
	= 0					CHK'D BY		DATE							
	= 0					MJM		1989/05/15							
	= 0					APPR BY		DATE		PRODUCT CUSTOMER DRAWING					
	= 0					WAZ		1989/05/15							
	= 0					DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES	MATERIAL NUMBER		CUSTOMER		
	= 0					A3				79107	SEE TABLE		GENERAL MARKET		
	= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER					
	= 0	H4		REV		SDA-79107-++++		PSD	001	3 OF 4					

MOLDED VOID OPTION
ASSEMBLIES WITHOUT PEGS

CKT SIZE	ASSEMBLY	HOUSING		VOID LOCATION(S) SEE SHEET 1 FOR CONVENTION		TERMINAL		PLATING OPTIONS	DIM A	DIM B	DIM C PC TAIL
		EDP NO.	ENG. NO	ROW	CKT. NO. (S)	EDP NO.	ENG. NO				
24	79107-5101	050-40-1422	79105-0501			791061012	79106-1012	5	24.19	22.00	3.00
				ROW B	6						
10	79107-5102	050-40-1410	79105-0504	ROW A	5	791061012	79106-1012	5	10.19	8.00	3.00
26	79107-5103	050-40-1426	79105-0505			791061012	79106-1012	5	26.19	24.00	3.00
				ROW B	5						
20	79107-5104	79105-0510	79105-0510	ROW A	7	791061112	79106-1112	5	20.19	18.00	1.91
24	79107-5105	79105-0511	79105-0511			791061112	79106-1112	5	24.19	22.00	1.91
				ROW B	10						
20	79107-5106	79105-0510	79105-0510	ROW A	7	791061012	79106-1012	5	20.19	18.00	3.00
24	79107-5107	79105-0511	79105-0511			791061012	79106-1012	5	24.19	22.00	3.00
				ROW B	10						

NOTES:
1. TERMINALS WILL BE PRESENT IN VOIDED LOCATIONS. HOWEVER, PIN WINDOWS WILL BE CLOSED
2. VOIDS CAN ONLY BE PRESENT IN ONE ROW OF A CONNECTOR

<div>QUALITY SYMBOLS</div> <div><div><div><div><div></div></div></div><div>= 0</div></div><div><div><div><div></div></div></div><div>= 0</div></div><div><div><div><div></div></div></div><div>= 0</div></div><div><div><div><div></div></div></div><div>= 0</div></div><div><div><div><div></div></div></div><div>= 0</div></div><div><div><div><div></div></div></div><div>= 0</div></div><div><div><div><div></div></div></div><div>= 0</div></div><div><div><div><div></div></div></div><div>= 0</div></div><div><div><div><div></div></div></div><div>= 0</div></div><div><div><div><div></div></div></div><div>= 0</div></div></div>
--



			P.C.TAIL DIMENSION 'C' = 3.00						P.C.TAIL DIMENSION 'C' = 1.91					
CKT SIZE	DIM 'A'	DIM 'B'	PLATING OPTION 5		PLATING OPTION 4		PLATING OPTION 6		PLATING OPTION 5		PLATING OPTION 4			PLATING OPTION 6
			ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.			ITEM NO.
04	(4.19)	(2.00)		79107-7001		79107-7051	X	79107-7126		79107-7201		79107-7251	X	79107-7326
06	(6.19)	(4.00)		79107-7002		79107-7052	X	79107-7127		79107-7202		79107-7252	X	79107-7327
08	(8.19)	(6.00)		79107-7003		79107-7053	X	79107-7128		79107-7203		79107-7253	X	79107-7328
10	(10.19)	(8.00)		79107-7004		79107-7054	X	79107-7129		79107-7204		79107-7254	X	79107-7329
12	(12.19)	(10.00)		79107-7005		79107-7055		79107-7130		79107-7205		79107-7255		79107-7330
14	(14.19)	(12.00)		79107-7006		79107-7056	X	79107-7131		79107-7206		79107-7256	X	79107-7331
16	(16.19)	(14.00)		79107-7007		79107-7057	X	79107-7132		79107-7207		79107-7257	X	79107-7332
18	(18.19)	(16.00)		79107-7008		79107-7058	X	79107-7133		79107-7208		79107-7258	X	79107-7333
20	(20.19)	(18.00)		79107-7009		79107-7059	X	79107-7134		79107-7209		79107-7259	X	79107-7334
22	(22.19)	(20.00)		79107-7010		79107-7060	X	79107-7135		79107-7210		79107-7260	X	79107-7335
24	(24.19)	(22.00)		79107-7011		79107-7061	X	79107-7136		79107-7211		79107-7261	X	79107-7336
26	(26.19)	(24.00)		79107-7012		79107-7062	X	79107-7137		79107-7212		79107-7262	X	79107-7337
28	(28.19)	(26.00)		79107-7013		79107-7063	X	79107-7138		79107-7213		79107-7263	X	79107-7338
30	(30.19)	(28.00)		79107-7014		79107-7064	X	79107-7139		79107-7214		79107-7264	X	79107-7339
32	(32.19)	(30.00)		79107-7015		79107-7065	X	79107-7140		79107-7215		79107-7265	X	79107-7340
34	(34.19)	(32.00)		79107-7016		79107-7066	X	79107-7141		79107-7216		79107-7266	X	79107-7341
36	(36.19)	(34.00)		79107-7017		79107-7067	X	79107-7142		79107-7217		79107-7267	X	79107-7342
38	(38.19)	(36.00)		79107-7018		79107-7068	X	79107-7143		79107-7218		79107-7268	X	79107-7343
40	(40.19)	(38.00)		79107-7019		79107-7069	X	79107-7144		79107-7219		79107-7269	X	79107-7344
42	(42.19)	(40.00)		79107-7020		79107-7070	X	79107-7145		79107-7220		79107-7270	X	79107-7345
44	(44.19)	(42.00)		79107-7021		79107-7071	X	79107-7146		79107-7221		79107-7271	X	79107-7346
46	(46.19)	(44.00)		79107-7022		79107-7072	X	79107-7147		79107-7222		79107-7272	X	79107-7347
48	(48.19)	(46.00)		79107-7023		79107-7073	X	79107-7148		79107-7223		79107-7273	X	79107-7348
50	(50.19)	(48.00)		79107-7024		79107-7074	X	79107-7149		79107-7224		79107-7274	X	79107-7349

"X" - DENOTES THE ITEM IS NOT AVAILABLE CURRENTLY.

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
	= 0	DIMENSION UNITS		SCALE		CURRENT REV DESC:					<div>molex</div>						
		mm		NTS													
	= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)															
	= 0																
	= 0	ANGULAR TOL ±		0.5°													
	= 0	4 PLACES		±													
	= 0	3 PLACES		±		EC NO: 674390					2MM DUAL ROW VERTICAL RECEPTACLE T/H						
	= 0	2 PLACES		± 0.25		DRWN: ABABUPS 2021/06/03											
	= 0	1 PLACE		±		CHK'D: MRAMAKRISHNA 2021/08/23											
	= 0	0 PLACES		±		APPR: MRAMAKRISHNA 2021/08/23					PRODUCT CUSTOMER DRAWING						
	= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		DOCUMENT NUMBER						DOC TYPE	
						B-SIZE		79107		SDA-79107-XXXX		PSD		001		H5	
										MATERIAL NUMBER		CUSTOMER				SHEET NUMBER	
										SEE TABLE		GENERAL MARKET				2 OF 4	

10

9

8

7

6

5

4

3

2

1

PARTS PACKED IN TUBE

MOLDED VOID OPTION

ASSEMBLIES WITHOUT PEGS

	ASSEMBLY	VOID LOCATION(S) SEE SHEET 1 FOR CONVENTION		PLATING OPTION	DIM. "A"	DIM. "B"	P.C. TAIL DIM. "C"
CKT. SIZE	ITEM NO.	ROW	CKT.NO(s)				
24	79107-5101	ROW B	6	5	(24.19)	(22.00)	(3.00)
10	79107-5102	ROW A	5	5	(10.19)	(8.00)	(3.00)
26	79107-5103	ROW B	5	5	(26.19)	(24.00)	(3.00)
20	79107-5104	ROW A	7	5	(20.19)	(18.00)	(1.91)
24	79107-5105	ROW B	10	5	(24.19)	(22.00)	(1.91)
20	79107-5106	ROW A	7	5	(20.19)	(18.00)	(3.00)
24	79107-5107	ROW B	10	5	(24.19)	(22.00)	(3.00)

"X" - DENOTES THE ITEM IS NOT AVAILABLE CURRENTLY.

NOTES:

1. TERMINALS WILL BE PRESENT IN VOIDED LOCATIONS HOWEVER, PIN WINDOWS WILL BE CLOSED.

2. VOIDS CANNOT BE PRESENT IN BOTH ROWS ON A CONNECTOR.

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
	DIMENSION UNITS		SCALE		CURRENT REV DESC:					<div>molex</div>		
	mm		NTS									
	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 674390 DRWN: ABABUPS 2021/06/03 CHK'D: MRAMAKRISHNA 2021/08/23 APPR: MRAMAKRISHNA 2021/08/23 INITIAL REVISION: DRWN: RFC_PLMIMP 2018/12/04 APPR: KCLING 2001/08/22					PRODUCT CUSTOMER DRAWING		
	ANGULAR TOL ± 0.5 °											
	4 PLACES ±											
	3 PLACES ±				DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION		
	2 PLACES ± 0.25				SDA-79107-XXXX					PSD	001	H5
	1 PLACE ±											
	0 PLACES ±				MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	SEE TABLE	GENERAL MARKET	3 OF 4		
						B-SIZE	79107					

DOCUMENT STATUS

P1

RELEASE DATE

2021/08/23 07:55:07

10

9

8

7

6

5

4

3

2

1

10	9	8	7	6	5	4	3	2	1									
PARTS PACKED IN TAPE AND REEL																		
			P.C.TAIL DIMENSION 'C' = 3.00					P.C.TAIL DIMENSION 'C' = 1.91										
CKT SIZE	DIM 'A'	DIM 'B'	PLATING OPTION 5		PLATING OPTION 4		PLATING OPTION 6		PLATING OPTION 5		PLATING OPTION 4			PLATING OPTION 6				
			ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.		ITEM NO.			ITEM NO.				
04	(4.19)	(2.00)		-		-		-		-		-		-				
06	(6.19)	(4.00)		-		-		-		-		-		-				
08	(8.19)	(6.00)		-		-		-		-		-		-				
10	(10.19)	(8.00)		-		-		-		-		-		-				
12	(12.19)	(10.00)		-		-		-		-		-		-				
14	(14.19)	(12.00)		-		-		-		-		-		-				
16	(16.19)	(14.00)		-		-		-		-		-		-				
18	(18.19)	(16.00)		-		-		-		-		-		-				
20	(20.19)	(18.00)		-		-		-	*	79107-8209 H5		-		-				
22	(22.19)	(20.00)		-		-		-		-		-		-				
24	(24.19)	(22.00)		-		-		-		-		-		-				
26	(26.19)	(24.00)		-		-		-		-		-		-				
28	(28.19)	(26.00)		-		-		-		-		-		-				
30	(30.19)	(28.00)		-		-		-		-		-		-				
32	(32.19)	(30.00)		-		-		-		-		-		-				
34	(34.19)	(32.00)		-		-		-		-		-		-				
36	(36.19)	(34.00)		-		-		-		-		-		-				
38	(38.19)	(36.00)		-		-		-		-		-		-				
40	(40.19)	(38.00)		-		-		-		-		-		-				
42	(42.19)	(40.00)		-		-		-		-		-		-				
44	(44.19)	(42.00)		-		-		-		-		-		-				
46	(46.19)	(44.00)		-		-		-		-		-		-				
48	(48.19)	(46.00)		-		-		-		-		-		-				
50	(50.19)	(48.00)		-		-		-		-		-		-				
				*** - PACKAGING IS NOT TOOLED						-								
									THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
									FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:			molex			
										DIMENSION UNITS								SCALE
										mm	NTS							
										GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 674390 DRWN: ABABUPS 2021/06/03 CHK'D: MRAMAKRISHNA 2021/08/23 APPR: MRAMAKRISHNA 2021/08/23			PRODUCT CUSTOMER DRAWING			
										ANGULAR TOL ± 0.5 °								
										4 PLACES	±							
										3 PLACES	±							
										2 PLACES	± 0.25							
1 PLACE		INITIAL REVISION: DRWN: RFC_PLMIMP 2018/12/04 APPR: KCLING 2001/08/22			DOCUMENT NUMBER SDA-79107-XXXX			DOC TYPE PSD	DOC PART 001	REVISION H5								
0 PLACES																		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																		
THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER										
		A3-SIZE	79107			GENERAL MARKET		4 OF 4										

10

9

8

7

6

5

4

3

2

1

DOCUMENT STATUS

P1

RELEASE DATE

2021/08/23

07:55:07

FORMAT: msa3

REVISION: 1

DATE: 2020/01/14