

圆形冷压端头 CIRCULAR COLD PRESS TERMINAL

端子材料：紫铜

TERMINAL MATERIAL: COPPER



项 目 ITEM NO.	尺寸 DIMENSION						
	Φ	B	L	E	D	C	T
OT0.5-3	3.2	6	13	4	2.2	1.2	0.5
OT0.5-4	4.2	7	14	4	2.2	1.2	0.5
OT1-3	3.2	6	14.4	5	3.2	1.7	0.7
OT1-4	4.3	7.6	16.6				
OT1-5	5.3	9.7	19.3				
OT1-6	6.5	11.4	21.8				
OT1.5-3	3.2	6	14.4	5	3.6	2.0	0.7
OT1.5-4	4.3	7.8	16.6				
OT1.5-5	5.3	9.5	19.3				
OT1.5-6	6.5	11.5	21.5				
OT1.5-8	8.5	15	25				
OT1.5-10	10.5	18	29				
OT1.5-12	12.5	18	29				
OT1.5-16	16.5	24	34				
OT2.5-3	3.2	6.5	15	5	4.2	2.6	0.7
OT2.5-4	4.3	7.6	17				
OT2.5-5	5.3	9.5	19.3				
OT2.5-6	6.5	11	21.4				
OT2.5-8	8.5	15	25				
OT2.5-10	10.5	18	29				
OT2.5-12	12.5	18	29				
OT2.5-14	14.5	24	34				
OT2.5-16	16.5	24	34	6	5.2	3.2	1.0
OT4-4	4.3	8.5	18.1				
OT4-5	5.3	10	20.5				
OT4-6	6.5	12	23.2				
OT4-8	8.5	15	26.5				
OT4-10	10.5	18	31.2				
OT4-12	12.5	19.5	33.2				
OT4-14	14.5	25	38.5				
OT4-16	16.5	25	38.5	7	6.2	4.2	1.0
OT6-4	4.3	9	19.5				
OT6-5	5.3	11	23				
OT6-6	6.5	12	24.5				
OT6-8	8.5	15	27.5				
OT6-10	10.5	18.2	32.3				
OT6-12	12.5	20	34				
OT6-14	14.5	25	39.2				
OT6-16	16.5	25	39.2	8.5	8	5.6	1.2
OT10-4	4.3	10	23.2				
OT10-5	5.3	12	26				
OT10-6	6.5	14	27.5				
OT10-8	8.5	16	30.2				
OT10-10	12.5	17.3	34.3				
OT10-12	12.5	21	38.2				
OT10-14	14.5	23	40.8				
OT10-16	16.5	25	42.1				
OT10-18	18.5	32.2	48.5				
OT10-20	20.6						
OT10-22	22.6						
OT10-24	24.6	40	58.5				
OT10-26	26.6						

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

圆形冷压端头 CIRCULAR COLD PRESS TERMINAL

端子材料：紫铜

TERMINAL MATERIAL: COPPER



TERMINAL MATERIAL COPPER				尺寸 DIMENSION											
项 目 ITEM NO.	Φ	B	L	E	D	C	T								
OT16-6	6.3	14.5	32.5	10.5	10	7	1.5								
OT16-8	8.5	18	33.5												
OT16-10	10.5	20.5	38												
OT16-12	12.5	23	41.5												
OT16-14	14.5	30	54	14				12.1	8.5	1.8					
OT16-16	16.5														
OT16-18	18.5														
OT16-20	20.6														
OT16-22	22.6	35	57		14	12.1	8.5				1.8				
OT16-24	24.6														
OT25-6	6.3	17	33.5												
OT25-8	8.5	21	37.5												
OT25-10	10.5	23	43												
OT25-12	12.5	24	45												
OT25-14	14.5	26	47												
OT25-16	16.5	30	54	14				12.1	8.5	1.8					
OT25-18	18.5														
OT25-20	20.6														
OT25-22	22.6														
OT25-24	24.6	35	57		14	12.1	8.5				1.8				
OT25-27	27.6														
OT25-30	30.6														
OT35-6	6.3	17	35									14	13.1	9.5	1.8
OT35-8	8.5	21	38.5												
OT35-10	10.5	23	43												
OT35-12	12.5	25	47												
OT35-14	14.5	27	50												
OT35-16	16.5	30	54	14				13.1	9.5	1.8					
OT35-18	18.5														
OT35-20	20.6														
OT35-22	22.6														
OT35-24	24.6	35	57		14	13.1	9.5				1.8				
OT35-37	37.7											55	85		
OT50-6	6.3	22	39									14	15.1	11.5	1.8
OT50-8	8.5	22	39												
OT50-10	10.5	24.5	43.5												
OT50-12	12.5	26	47.5												
OT50-14	14.5	30	54												
OT50-16	16.5														
OT50-18	18.5														
OT50-20	20.6														
OT50-22	22.6	35	57	14				15.1	11.5	1.8					
OT50-24	24.6														
OT70-6	6.3	22	49		18.5	17.5	13.1				2.2				
OT70-8	8.5														
OTS70-10	10.5														
OT70-10	10.5														
OT70-12	12.5	24.5	51									18.5	17.5	13.1	2.2
OT70-14	14.5														
OT70-16	16.5														
OT70-18	18.5														
OT70-20	20.6	30	60		20	19.5	15.1				2.2				
OT70-22	22.6														
OT70-24	24.6														
OT95-8	8.5			23				51							
OT95-10	10.5	27	53	20				19.5	15.1	2.2					
OT95-12	12.5														
OT95-14	14.5														
OT95-16	16.5														
OT95-18	18.5	30	65									20	19.5	15.1	2.2
OT95-20	20.6														
OT95-22	22.6														
OT95-24	24.6														
OT95-26	26.6	38	70		20	19.5	15.1				2.2				
OT95-28	28.6														
OT95-30	30.6														
OT95-32	32.6														

勝 特 力 材 料 886-3-5753170
 胜特力电子(上海) 86-21-34970699
 胜特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

端子材料: 紫铜
TERMINAL MATERIAL: COPPER

项 目 ITEM NO.	尺寸 DIMENSION						
	Φ	B	L	E	D	C	T
OT120-8	8.5	30	60	22	22.2	17	2.6
OT120-10	10.5						
OT120-12	12.5						
OT120-14	14.5						
OT120-16	16.5						
OT150-8	8.5	31	64	25.5	24.5	18.1	3.2
OT150-10	10.5						
OT150-12	12.5						
OT150-14	14.5						
OT150-16	16.5						
OT185-8	8.5	32	67	27	27.2	20	3.6
OT185-10	10.5						
OT185-12	12.5						
OT185-14	14.5						
OT185-16	16.5						
OT240-8	8.5	38	70	30	32	24	4.0
OT240-10	10.5						
OT240-12	12.5						
OT240-14	14.5						
OT240-16	16.5						
OT300-10	10.5	50.5	103	35	37.5	29	4.2
OT300-12	12.5						
OT300-14	14.5						
OT300-16	16.5						
OT300-18	18.5						
OT300-20	21						

圆形冷压端头 CIRCULAR COLD PRESS TERMINAL



端子材料: 紫铜
TERMINAL MATERIAL: COPPER

项 目 ITEM NO.	尺寸 DIMENSION						
	Φ	B	L	E	D	C	T
OTZ6-6	6.3	10.5	23.5	7	6.2	4.2	1
OTZ10-6	6.3	12	27	8.5	8	5.6	1.2
OTZ10-8	8.5	15	30				
OTZ16-6	6.5	13	30.5	10.5	10	7	1.5
OTZ16-8	8.5	15	35				
OTZ16-10	10.5	17	37				
OTZ25-6	6.5	13	31	12	12.1	8.5	1.8
OTZ25-8	8.5	16	34				
OTZ25-10	10.5	18	40				
OTZ25-12	12.5	18.1	40				
OTZ35-6	6.5	13	35	14	13.1	9.5	1.8
OTZ35-8	8.5	16	40				
OTZ35-10	10.5	18	40				
OTZ35-12	12.5	18.2	40.7				
OTZ50-6	6.5	13	35	14	15.1	11.5	1.8
OTZ50-8	8.5	16	40				
OTZ50-10	10.5	18	40				
OTZ50-12	12.5	18	40.5				

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)