


www.osram.com



Light for comfort.

OSRAM BELLALUX SOFT®.

Light bulbs for harmonious light without glare.



SEE THE WORLD IN A NEW LIGHT

OSRAM



勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)



BELLALUX SOFT®

A matter of charisma.

- For harmonious light without glare.
- Available in 7 shapes and sizes.
- Available in 6 soft lighting colours.
- Can be used universally in all lamps.

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

Softness included.

**BELLALUX SOFT® is the expressive alternative to classic light bulbs.
 It shines with a soft, beautiful and harmonious light.**

Softness through technology.

Unlike conventional light bulbs, the inside of BELLALUX SOFT® is completely coated in white. The entire bulb glows, therefore, and not just the filament. This allows BELLALUX SOFT® to shine with a pleasantly soft, comfortable light that doesn't glare, even when you look directly at the lamp. It's thus particularly suited for use in open lighting fixturest.

Softness through shape.

Since BELLALUX SOFT® is now available in seven bulb shapes for universal use in many different types of lighting fixtures, soft light can now be used in almost every lamp:

- In an updated, large bulb form with T55 filament.
- In an updated, small bulb form with T45 filament.
- As a candle bulb with B filament.
- As a decorative GLOBE bulb that looks good even without a lamp, in four sizes with G filament.


With E14 or E27 screw base and ten wattages from 25 W to 150 W. The BELLALUX SOFT® thus fits in all large and small lamps.

Softness through colour.

All bulb shapes are available in WHITE and are therefore the perfect alternative to normal light bulbs. Through the illumination of the entire filament, the light shines brightly, evenly, pleasantly, and above all, softly throughout the room – without glaring from any angle of view or disturbing the atmosphere of the room. The updated large and small bulb shapes T55 and T45 are also available in five soft pastel colours that allow you to influence the colouring and colour atmosphere of rooms.

The various colour tones allow the atmosphere of a room to be accentuated or altered.

	WHITE	shines brightly, but doesn't glare
	CITRON	shines like sunlight
	MANDARINE	emphasizes wood tones
	ROSÉ	freshens up warm colours
	AZUR	underscores cool objectivity
	JADE	makes plants look fresh




Six different bulb colours underscore the individual atmosphere of a room and accentuate specific interiors, such as wood.



The soft, pleasant light of Bellalux Soft® lends a particularly harmonious atmosphere to your rooms.

TECHNICAL DATA

Dimensions in mm



BELLALUX SOFT® T55 filament

Item number	BELLA T55 SIL 25	BELLA T55 SIL 40	BELLA T55 SIL 60	BELLA T55 SIL 75	BELLA T55 SIL 100	BELLA T55 ROSÉ 60	BELLA T55 MAND 60	BELLA T55 CITR 60	BELLA T55 JADE 60
Capacity (W)	25	40	60	75	100	60	60	60	60
Luminous (lm)	195	370	630	840	1200	—	—	—	—
Diameter d (mm)	60	60	60	60	60	60	80	80	80
Length l (mm)	105	105	105	105	105	105	105	105	105
Image	1	1	1	1	1	1	1	1	1
EAN 40503000	198125	016818	016825	016832	016849	020655	020631	020594	020617
Packing unit (pieces)	100	100	100	100	100	20	20	20	20
Base	E27	E27*	E27*	E27	E27*	E27*	E27*	E27	E27

BELLALUX SOFT® T55 filament

BELLALUX SOFT® T45 filament

Item number	BELLA T55 AZUR 60	BELLA T45 SIL 25	BELLA T45 SIL 40	BELLA T45 ROSÉ 40	BELLA T45 MAND 40	BELLA T45 CITR 40	BELLA T45 JADE 40	BELLA T45 AZUR 40
Capacity (W)	60	25	40	40	40	40	40	40
Luminous (lm)	—	195	370	—	—	—	—	—
Diameter (mm)	95	45	45	45	45	45	45	45
Length l (mm)	105	80	80	80	80	80	80	80
Image	1	2	2	2	2	2	2	2
EAN 40503000	020570	024790	024806	024851	024844	024837	024820	024813
Packing unit (pieces)	20	50	50	20	20	20	20	20
Base	E27	E14	E14	E14	E14	E14	E14	E14

BELLALUX SOFT® B filament/candle

BELLALUX SOFT® GLOBE G filament

Item number	BELLA B SIL 25	BELLA B SIL 40	BELLA B SIL 60	BELLA G60 SIL 25	BELLA G60 SIL 40	BELLA G80 SIL 40	BELLA G80 SIL 60	BELLA G80 SIL 100
Capacity (W)	25	40	60	25	40	40	60	100
Luminous (lm)	195	365	610	200	370	300	600	1000
Diameter d (mm)	35	35	35	60	60	80	80	80
Length l (mm)	100	100	100	93	93	119	119	119
Image	3	3	3	4	4	5	5	5
EAN 40503000	024912	024929	047478	197975	197951	092263	066721	092287
Packing unit (pieces)	50	50	50	25	25	20	20	20
Base	E14	E14	E14	E14	E14	E27	E27	E27

BELLALUX SOFT® GLOBE G filament

Item number	BELLA G95 SIL 40	BELLA G95 SIL 60	BELLA G95 SIL 100	BELLA G95 SIL 150	BELLA G120 SIL 40	BELLA G120 SIL 60	BELLA G120 SIL 100	BELLA G120 SIL 150
Capacity (W)	40	60	100	150	40	60	100	150
Luminous (lm)	290	490	890	1800	290	490	890	1800
Diameter d (mm)	95	95	95	95	120	120	120	120
Length l (mm)	142	142	142	142	175	175	175	175
Image	6	6	6	6	7	7	7	7
EAN 40503000	311678	317120	311692	109763	311715	311744	311739	082059
Packing unit (pieces)	20	20	20	20	12	12	12	12
Base	E27	E27*	E27*	E27	E27	E27	E27	E27

All bulbs are designed for European voltage of 230 V.

* Also available with a B22d/240 V base. Other types on request.

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)