勝 特 力 材 料 886-3-5753170
胜特力电子(上海) 86-21-34970699
胜特力电子(深圳) 86-755-83298787
Http://www.100y.com.tw




V9N




Type	• Switches
Product type	• Burgess Sealed Miniature Limit switch
Typical markets	• business machines • material handling • transportation • distribution
Typical applications	• postal equipments • forklifts • specialist vehicles • local catalog distributors
Dimensions	• 42 x 24.5 x 15.5 mm
Characteristics	• sealed IP67 • metal housed • screw terminals or flying leads
Rating	• 250 VAC, 10 A max.
Actuators	• plunger • plain lever • roller lever • reverse action lever
Approvals/Quality	• UL • CSA

Dimensions



Circuits



Performance

Preferred range

Partnumber	Terminal	Actuator	Electrical rating @	
			ENEC	UL/CSA
V9N	screw	plunger	VAC A	250 VAC 10 A
V9NL	screw	plain lever 44.5 mm	VAC A	250 VAC 10 A
V9NLR	screw	roller lever 22.2 mm	VAC A	250 VAC 10 A

V9NLR1	screw	roller lever 32.3 mm	VAC A	250 VAC 10 A

WWW.100Y.COM.TW

勝 特 力 材 料 886-3-5753170
胜特力电子(上海) 86-21-34970699
胜特力电子(深圳) 86-755-83298787
Http://www.100y.com.tw



V9N

Dimensions	42 mm
Dimensions	24.5 mm
Dimensions	16 mm
Terminal	screw
Circuit	CO
Protection	IP67
Actuator	plunger
Contacts	Ag
Electrical rating UL/CSA	250 VAC
Actuating force	5.5 Nm
Release force	1 N
Free position (FP)	22.6 mm
Operating position (OP)	21.3 mm
Movement differential	0.35 mm
Overtravel	depress to case