


□ PLS-20 結構圖

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

PLS-20-GPM




PLS-20-GPM



PLS-20-PM




PLS-20-PM



PLS-20-RF




PLS-20-RF




PLS-20-ADF




PLS-20-ADF




PLS-20-ADM




PLS-20-GPF



PLS-20-PF




PLS-20-RCa



勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

PLS-20-RM



No. of contacts

Contacts
Cofiguration

Rated current/voltage

Operation limit voltage (AC.V.rms)

Withstanding voltage (AC.V.rms) 1 minute

Insulation resistance (M Ω MIN.) at DC 500V

Contact resistance (M Ω MAX.) AT DC 1A

Pin diameter (ϕ mm)

2	3	4	7
15A 250V	15A 250V	10A 250V	10A 250V
250	250	250	250
1500	1500	1500	1000
2000	2000	2000	2000
3	3	3	3
1.8	1.8	1.6	1.6

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)